

FFR 818 STANDARD SYSTEM ASSIGNMENTS with inRESERVE Ver 10.36

| Function | Switch Input | MASTERCELL™ Connector | POWERCELL™ Address | POWERCELL™ Connector | Personality | POWERCELL™ Output | POWERCELL™ Wire Color | MASTERCELL™ Wire Color |
|----------------------------------|--------------|-----------------------|--------------------|----------------------|---------------------------|-------------------|-----------------------|------------------------|
| Main Fan Motor | 1 | A | 1 | B | Track | 3 | Light-Green | White-Black |
| Sub Fan Motor | 2 | A | 1 | B | Track | 4 | Light-Blue | White-Red |
| Ignition* | 3 | A | 2 | B | Track | 4 | Light-Blue | White-Blue |
| Starter* | 4 | A | 2 | B | Track (Requires Input 21) | 5 | White | White-Yellow |
| Headlights | 5 | A | 1 | B | Track: Soft Start | 5 | White | White-Green |
| Parking Lights | 6 | A | 1:2 | A | Track | 6:6 | Yellow:Yellow | Blue-Black |
| High Beams | 7 | A | 1 | A | Track: Soft Start | 7 | Blue | Blue-Red |
| Open | 8 | A | 1 | A | Track | 8 | Green | Blue-Lt Blue |
| Horn | 9 | A | 1 | A | Track | 9 | Orange | Blue-Yellow |
| Front Ignition Power/Wiper Power | with Ign | | 1 | A | Track | 10 | Tan | |

* Blocked when security is ON

FFR 818 STANDARD SYSTEM ASSIGNMENTS with inRESERVE Ver 10.36

| Function | Switch Input | MASTERCELL™ Connector | POWERCELL™ Address | POWERCELL™ Connector | Personality | POWERCELL™ Output | POWERCELL™ Wire Color | MASTERCELL™ Wire Color |
|--|--------------|-----------------------|--------------------|----------------------|-----------------------|-------------------|-------------------------------|------------------------|
| Left Turn Signal Mechanical Column** | 11 | A | 1:2 | B | Turn Signal | 1:1 | Brown:Brown | Yellow-Black |
| Right Turn Signal Mechanical Column** | 12 | A | 1:2 | B | Turn Signal | 2:2 | Violet:Violet | Yellow-Red |
| 4-Way Flashers | 13 | A | 1:2 | B | 4-Way Flasher | 1&2:1&2 | Brown&Violet: Brown&Violet | Yellow-Blue |
| Brake Lights with 1-Filament Bulbs | 14 | A | 2 | B | Track: Brake Function | 1&2 | Brown:Violet | Yellow-Orange |
| Brake Lights with Multi-Filament Bulbs | 15 | A | 2 | B | Track | 3 | Light Green | Yellow-Green |
| Back-Up Lights** | 16 | A | 2 | A | Track | 7 | Blue | Tan-Black |
| inRESERVE Solenoid | N/A | N/A | 2 | A | inRESERVE | 8 | Green | N/A |
| Open | 18 | A | 2 | A | Track | 9 | Orange | Tan-Blue |
| Fuel Pump | with Ign | | 2 | A | Track | 10 | Tan | |
| One-Button Ignition/Start* | 20 | A | 2 | B | One Button Ign/Start | 4:5 | Light Blue: White | Tan-Green |

* Blocked when security is ON

** Requires Ignition ON

FFR 818 STANDARD SYSTEM ASSIGNMENTS with inRESERVE Ver 10.36

| Function | Switch Input | MASTERCELL™ Connector | POWERCELL™ Address | POWERCELL™ Connector | Personality | POWERCELL™ Output | POWERCELL™ Wire Color | MASTERCELL™ Wire Color |
|--|--------------|-----------------------|--------------------|----------------------|--|-------------------|-----------------------|------------------------|
| Neutral Safety Switch / Clutch Interlock | 21 | A | | | Input must be grounded for starter to engage | | | Green-Black |
| Alternating Headlight Toggle | 22 | A | 1 | A:B | Alternating Headlight | 5:7 | White:Blue | Green-Red |
| HID Low Beam | 23 | A | 1 | B | Track | 5 | White | Green-Blue |
| HID High Beam | 24 | A | 1 | A | Track | 7 | Blue | Green-Orange |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |