



NOTE: This process must be done from a laptop with Wi-Fi. This will not work from a tablet or smart phone.

1. Connect to the wireless network ID starting with "HAME"
2. Open your web browser.
3. Type 192.168.169.1 in the address bar and press enter.
4. Click Login
5. Password: "admin"
 - Older systems may have a password of "hame"



Enter Administrator Settings




The screenshot shows the HAME InfinityBox web interface. At the top, there is a navigation bar with the HAME logo and a home icon. Below the navigation bar, there are five main menu items: Home, Internet, Wireless, Firewall, and Management. The 'Management' menu item is circled in red, and a red arrow points to it from the text 'Under Admin, select Settings'. Below the menu items, there is a 'Home' section with a 'System Info' table and an 'Internet Configurations' table.

System Info			
Platform	v1.2	Version	2.4.106.239
WiFi SSID	HAME_A15_242b	Running Time	00:04:32

Internet Configurations			
Connected	SMART(3G)	<input type="button" value="Connect"/>	<input type="button" value="Disconnect"/>
WAN IP Address		Default Gateway	
Primary Domain Server		Secondary Domain Server	
Subnet Mask		Current connection time	-
Upload traffic	-KB	Download traffic	-KB
Total connection traffic	0KB	Total connection time	00:00:00

Under Admin,
select Settings



HAME SMART Disconnected

Home Internet Wireless Firewall Admin

Settings

You might save system settings by exporting them to a configuration file, restore them by importing the file, or reset them to factory default.

Load Factory Defaults

Load Default Button

Clear 3G Accumulated information Button

Export LOG

Debug Switch

Export Button

USB Modem Diagnoses

Diagnoses Button

Report Button

Export Settings

Export Button

Settings file location No file selected

- Hit Browse under Export Settings
- Browse for file inTOUCH_XXX_Config.dat and click open
- Click on Import. You will be disconnected from the network.
- Router is now configured.

